

Hillrom.

EASY-TO-USE VITAL SIGNS MONITORING

For Ambulatory Surgery Centers

SIMPLE, EFFECTIVE, LOW-ACUITY PATIENT MONITORING **SOLUTIONS**

With so many patients to care for each day, you need an efficient way to capture vital signs.

Connex Vital Signs Monitor 6000 Series

Our Connex Vital Signs Monitor (CVSM) is a scalable solution that features a simplistic and customizable user interface to help make routine vitals capture as easy as possible. This solution allows you to support more advanced low-acuity monitoring applications where respiratory and ECG monitoring is needed. It's ideal for users with more advanced monitoring requirements, in addition to basic vital signs capture, and can be utilized for spot check, interval or continuous monitoring.

FEATURES INCLUDE:

Welch/Allyr

- Convenient plug and play ECG options-available in three- and fivelead sets
- Capnography monitoring by using integrated Medtronic® Microstream® technology
- SureBP[®] non-invasive blood pressure, • which measures on inflation in roughly 15 seconds
- Optional SureTemp[®] or Braun ThermoScan® PRO 6000 thermometry
- Choice of leading SpO₂ technologies: Masimo[®] or Nellcor[®]
- Print-ready options to support documentation requirements
- Connectivity options that streamline your routine vitals workflow and transmit numeric data

Are you looking for baseline vitals to meet your pre- and post-op needs? Meet our Connex Spot Monitor (CSM). With an easy-to-use, vivid touchscreen display, the Connex Spot Monitor provides accurate, basic routine vital signs measurement in about a minute. This solution is ideal for spot check and/or interval monitoring.

FEATURES INCLUDE:

Optional episodic digital respiration • rate acquisition*

Welch Allyn

A O

98.6

- Configurable setup options
- SureBP non-invasive blood pressure, which measures on inflation in roughly 15 seconds

Find this and more with the Welch Allyn[®] Connex[®] line of Vital Signs Monitors.



- Optional SureTemp or Braun ThermoScan PRO 6000 thermometry
- Choice of leading SpO, technologies: Masimo, Nellcor or Nonin
- Connectivity options to streamline workflows

Hillrom

PRODUCT PART NUMBERS - CONNEX® VITAL SIGNS MONITOR AND ECG KIT

67NCTP-B-ECG3A	CVSM, SureBP [®] , Nellcor [®] SpO ₂ , Medtronic [®] etCO ₂ , SureTemp [®] , Printer, 3-Lead ECG
67MCTP-B-ECG3A	CVSM, SureBP, Masimo® SpO ₂ , Medtronic etCO ₂ , SureTemp, Printer, 3-Lead ECG
67NXTP-B-ECG3A	CVSM, SureBP, Nellcor SpO ₂ , SureTemp, Printer, 3-Lead ECG
67MXTP-B-ECG3A	CVSM, SureBP, Masimo SpO ₂ , SureTemp, Printer, 3-Lead ECG
4800-60	CVSM, Cable Management Stand
4900-60	CVSM, Cable Management Stand Extended Housing
4900-62	CVSM, Wall Channel with Basket Extended Housing
008-0834-01	CVSM, Wall Channel with Basket
4701-62	CVSM, Wall Mount with Basket

PRODUCT PART NUMBERS - CONNEX SPOT® MONITOR

73MT-B	CSM, SureBP, Masimo SpO ₂ , SureTemp, Bluetooth®
73CT-B	CSM, SureBP, Nellcor SpO ₂ , SureTemp, Bluetooth
73WT-B	CSM, SureBP, Nonin [®] SpO ₂ , SureTemp, Bluetooth
71WT-B	CSM, SureBP, Nonin SpO ₂ , SureTemp
7000-MWS	CSM, Mobile Work Surface Stand
7000-GCX	CSM, Wall Channel with Basket

For more information, please contact your local distributor or Hillrom sales representative at 1-800-535-6663.

hillrom.com

4341 State Street Rd., Skaneateles Falls, NY 13153

*Optional episodic digital respiration rate acquisition available starting June 2020

Hill-Rom reserves the right to make changes without notice in design, specifications and models. The only warranty Hill-Rom makes is the express written warranty extended on the sale or rental of its products.

Nellcor is a registered trademark of Covidien LP Ltd; Masimo is a registered trademark of Masimo Corp; Bluetooth is a registered trademark of Bluetooth SIG Inc.; Nonin is a registered trademark of Nonin Medical, Inc.

© 2020 Welch Allyn, Inc. ALL RIGHTS RESERVED. APR60901 Rev 1 80023884 2020-03 ENG - US